

**Notice of Allowability**

Application No.

10/621,820

Examiner

Gary K Graham

Applicant(s)

WARD, RICHARD E.

Art Unit

1744

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment filed 04 March 2005 and interview of 17 March 2005.
2. ☒ The allowed claim(s) is/are 19, 20, 22-25 and 27.
3. ☒ The drawings filed on 17 July 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).**
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413),  
Paper No./Mail Date 03172005.
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

Gary K Graham  
Primary Examiner  
Art Unit: 1744

### EXAMINER'S AMENDMENT

The following changes are made to distinguish both independent claims from what is taught by the Brasty reference. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Donald L. Otto on 17 March 2005.

The application has been amended as follows:

#### In the Claims

In claim 19, line 18, after "portion" insert ---, wherein the downwardly angled bend has a bend angle of approximately 15° to 25° relative to the axis of the intermediate length of the spring wire---

Cancel claim 21.

In claim 22, line 1, change "21" to ---19---,  
line 2, delete "general".

In claim 24, line 25, after “portion” insert ---, wherein the downwardly angled bend has a bend angle of approximately 15° to 25° relative to the axis of the intermediate length of the spring wire---.

Cancel claim 26.

In claim 27, line 1, change “26” to ---24---,  
line 2, delete “general”.

### Reasons for Allowance


The following is an examiner’s statement of reasons for allowance: The claimed spring or combination of spring and wiper arm set forth distinguishes over the closest prior art, the Brasty reference, as they establish the downwardly angled bend in the intermediate length of the spring wire adjacent the second hook-like end portion at an angle of approximately 15-25 degrees relative the intermediate length of the spring wire. Brasty does teach a downwardly angled bend defining portion (13), however, such is adjacent the first hook-like end portion (6) and appears to be of approximately 45 degrees relative to the axis of the intermediate length of the spring wire. There appears no motivation to shift the downward bend of Brasty from the first end to the second end and to provide such bend at an angle of approximately 15 to 25 degrees. As such, the claims are considered to define over the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gary K Graham whose telephone number is 571-272-1274. The examiner can normally be reached on Tuesday to Friday (6:30-4:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Kim can be reached on 571-272-1142. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Gary K Graham  
Primary Examiner  
Art Unit 1744